



Zaštita ruku

VV912

DUGOTRAJNI POSLOVI REZANJA

Rukavica od kozje kože za teške uvjete rada s osnovom otpornom na rezanje razine F, koja nudi udobnost, zaštitu i prozračnost.



Prednosti



Higijena

- Tretirano da bude otporno na vlagu



Udobnost

- Kozja koža za udobnost, fleksibilnost i spretnost

Područje upotrebe

- Javni radovi
- Zgrada
- Nafta i plin (vađenje)
- Rudarska industrija

Certifikati i standardi



EN 388
4 X 4 2 F P



EN 407
X 1 X X X X



A6 4 3



ANSI ISEA 138
RAZINA 2

Štiti od



Toplina



Šok



Rezanje



Zaštita ruku

VV912

DUGOTRAJNI POSLOVI REZANJA

Rukavica od kozje kože za teške uvjete rada s podstavom otpornom na rezanje razine F, koja nudi udobnost, zaštitu i prozračnost.

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] PONAŠANJE PRI GORENJU
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Rukavica otporna na udarce
Vrsta mehaničke rukavice	Izrađena po mjeri
Posebna vrsta rukavica	Učinak
Osnovne značajke manžete	Elastična manžeta otvorena na stražnjem dijelu
Dodatna pogodnost	Može se prikvačiti
Boja	Bijela
Veličina	9, 10, 11
Vrsta pakiranja	Etiketa

Pakiranje

Prodajna jedinica: Etiketa
60 parovi /kutija



Safety gloves

VV912

LONG-LASTING CUT WORK

Goat leather impact glove for heavy-duty work with level F cut-resistant liner, offering comfort, protection, and breathability.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV91209	White	09	VV912	3295249315344	13295249315341	60	12	18.91 kg	64.2 cm	33.5 cm	32.4 cm
VV91210	White	10	VV912	3295249315351	13295249315358	60	12	19.6 kg	64.5 cm	35.3 cm	34.0 cm
VV91211	White	11	VV912	3295249315368	13295249315365	60	12	20.85 kg	35.4 cm	66.3 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height