



WPSEX118

ENERGY ABSORBING LANYARDS

Fall protection



Applications

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry
- Oil & Gas (Extraction)

Certifications and norms

Risk Protection



Fall



WPSEX118

ENERGY ABSORBING LANYARDS

Fall protection

Standards - Details

Technical details

Type of equipment	Work positioning system
Composition of the main support	Polyester
Max. length (m)	5
Rope diameter (mm)	14
With connector	yes
Color	Orange
Type of conditioning	in individual bag
Fall arrest work situations	Work positioning, Restraint



WPSEX118

ENERGY ABSORBING LANYARDS

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WPSEX118200C	Orange	0.20 → 2 m	WPSEX118	3295249226947	13295249226944	5	1	7.5 kg	28.8 cm	43.2 cm	14.8 cm
WPSEX118300C	Orange	0,20 → 3 m	WPSEX118	3295249226954	13295249226951	5	1	7.5 kg	28.8 cm	43.2 cm	14.8 cm
WPSEX118500C	Orange	0,20 → 5 m	WPSEX118	3295249226961	13295249226968	5	1	8.0 kg	28.8 cm	43.2 cm	14.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height