



Hand protection

VV915

LONG-LASTING CUT WORK

Udarne rokavice za težko delo z ojačano dlanjo in popolnoma vodoodporna nitrilno prevleko.



Posebne koristi



Trajnost

- Preizkus pred in po pranju: zmogljivost nespremenjena
- Daljša življenjska doba zaradi dvojnega premaza za odlično odpornost proti obrabi



Enostavna uporaba

- Zapenjanje s kavljem in zanko za boljšo oporo zapestja



Higiena

- Rokavica, ki jo je mogoče prati, zato jo lahko ponovno uporabite
- Nitril za uporabnike ne pomeni tveganja za alergije



Uspešnost

- Prožne ojačitve za dodatno zaščito pred udarci in stiskanjem

Certifikati in norme



EN 388
4 X 4 3 D P



EN 407
X 1 X X X X



A4 6 5



ANSI ISEA 138
RAVEN 1

Zaščita pred tveganji



Heat



Shock



Cutting



Hand protection

VV915

LONG-LASTING CUT WORK

Udarne rokavice za težko delo z ojačano dlanjo in popolnoma vodoodporna nitrilno prevleko.

Standardi - podrobnosti



EN388:2016+A1:2018

4 [0-4] ODPORNOST PROTI OBRABI
X [0-5] REZNA UPORNOST
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] OBNAŠANJE PRI GORENJU
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnične podrobnosti

Vrsta rokavic	Posebna rokavica
Družina rokavic	Rokavica, odporna proti udarcem
Vrsta mehanske rokavice	Pleteno
Vrsta posebnih rokavic	Učinek
Preja za votke	Elastan, Steklена vlakna, Najlon, Poliestar, Spandex
Raven premaza	Popolnoma prevlečen, razen zapestja
Premazni material	Nitril
Finalizacija premaza	Gladko, s teksturiranim oprijemom
Število plasti	Dvojni sloj
Merilnik	15
Značilnost manšete	Manšeta z Velcro
Element ugodnosti	Pralna, Paket prodajalca
Barva	Rumena-siva-črna
Velikost	7, 8, 9, 10, 11, 12
Vrsta embalaže	Kartica z glavo

Pakiranje

Prodajna enota: Kartica z glavo
60 pari /box



Safety gloves

VV915

LONG-LASTING CUT WORK

Impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV915JA07	Yellow-Grey-Black	07	VV915	3295249305765	13295249305762	60	12	13.47 kg	25.0 cm	32.4 cm	70.4 cm
VV915JA08	Yellow-Grey-Black	08	VV915	3295249305710	13295249305717	60	12	13.71 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA09	Yellow-Grey-Black	09	VV915	3295249305727	13295249305724	60	12	15.15 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA10	Yellow-Grey-Black	10	VV915	3295249305734	13295249305731	60	12	16.2 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA11	Yellow-Grey-Black	11	VV915	3295249305741	13295249305748	60	12	18.06 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA12	Yellow-Grey-Black	12	VV915	3295249305758	13295249305755	60	12	18.12 kg	25.0 cm	32.0 cm	70.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height