WPSHAR35

FALL ARRESTER HARNESSES

Fall protection



Applications

- Public works
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Oil & Gas (extraction)
- Mining

Certifications and norms

NBR 15.836

NBR 15.835

Protects against risks

Fall

WPSHAR35

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Adjustment	2 adjustable lateral plates
Fastening	Buckles
Number of attachment points	5
Anti-fall point	Dorsal, Sternal
Color	Orange
Size	S/M/L, XL/XXL
Number of non-removable buckles	6
Weight (kg)	2,460
Type of packaging	Box of 5
only used for Brasil	CA 41.042
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Long movement with multi connection /disconnection

WPSHAR35

FALL ARRESTER HARNESSES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WPSHAR35GT	Orange	S/M/L	WPSHAR35	3295249227067	13295249227064	5	1	10.75 kg	23.0 cm	80.0 cm	33.0 cm
WPSHAR35XX	Orange	S/M/L	WPSHAR35	3295249227074	13295249227071	5	1	10.75 kg	23.0 cm	80.0 cm	33.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height