Fall protection

TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 30 m cable, adaptable to our tripods and davit arm



Applications

- **Agriculture**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**

Certifications and norms

CE CATEGORY III

2006/42/EEC

Risk Protection

Fall

Fall protection

TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 30 m cable, adaptable to our tripods and davit arm

Standards - Details

Technical details

Warning	This product is not a fall arrest system. Ensure that the user is equipped with a fall arrest system suitable for their working conditions
Type of equipment	Manual winch
Composition of the main support	Galvanized steel
Max. length (ft)	30
ARA lenght (m)	30
ARA lenght (inch)	1181.103
Color	Steel
Connector 1	Automatic lock hook, steel, opening 22mm
Lifespan from manufacturing (years)	20
Safe working load (kg)	250



Fall protection

TR00530

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 30 m cable, adaptable to our tripods and davit arm

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TR00530	Steel	30 m	TR00530	3295249219178	13295249219175	1	1	20.0 kg	40.0 cm	30.0 cm	25.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height