Fall protection

TR00520

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 20 m cable, adaptable to our tripods and davit arm



Applications

- **Agriculture**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**

Certifications and norms

CE CATEGORY III

2006/42/EEC

Risk Protection

Fall



Fall protection

TR00520

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 20 m cable, adaptable to our tripods and davit arm

Standards - Details

Technical details

Warning	This product is not a fall arrest system. Ensure that the user is equipped with a fall arrest system suitable for their working conditions
Type of equipment	Manual winch
Composition of the main support	Galvanized steel
Max. length (m)	20
ARA lenght (m)	20
ARA lenght (inch)	787.402
Color	Steel
Connector 1	Automatic lock hook, steel, opening 22mm
Lifespan from manufacturing (years)	20
Safe working load (kg)	250

TR00520

FALL ARREST AND RESCUE, CONFINED SPACE

Load manual winch, with 20 m cable, adaptable to our tripods and davit arm

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TR00520	Steel	20 m	TR00520	3295249219161	13295249219168	1	1	18.0 kg	40.0 cm	30.0 cm	25.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height