



Proteção das mãos

TP169 Preto

TRABALHOS EM AMBIENTE SECO

Luva mecânica com pigmentos para melhor aderência



Benefícios únicos



Desempenho

- Grande leveza para uma destreza ideal

Aplicação

- Acabamento / artesanos
- Trabalho temporário
- Armazenamento

Certificações e normas



EN 388
X1 X2 XX

Proteção contra riscos



Vestindo



enjoy safety

Editar 28/07/2026
www.deltaplusbrasil.com.br



Proteção das mãos

TP169 Preto

TRABALHOS EM AMBIENTE SECO

Luva mecânica com pigmentos para melhor aderência

Detalhes - Normas



EN388:2016+A1:2018

X [0-4] RESISTÊNCIA À ABRASÃO
1 [0-5] RESISTÊNCIA DE CORTE
2 [0-4] RESISTÊNCIA AO RASGAMENTO
X [0-4] RESISTÊNCIA À PERFURAÇÃO
X [A-F] RESISTÊNCIA AO CORTE DE ACORDO COM
A NORMA ISO 13997

Detalhes técnicos

Tipo de luva	Luva mecânica
Família de luvas	Luva de malha não revestida com relevos
Tipo de luva mecânica	Tricotado
Fibra	Poliéster/algodão
Material com relevo	Relevos em PVC
Gauge	7
Vantagem adicional	Reach
Cor	Preto
Tamanho	7, 9
Tipo de embalagem	Pacote com 12 pares

Embalagem

Unidade de venda: Pacote com 12 pares
300 pares /caixa



Safety gloves

TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TP169NO09	Black	09	TP169	3295249219857	13295249219854	300	12	18.5 kg	52.0 cm	65.0 cm	64.0 cm
TP16909	White	09	TP169	3295249016043	13295249016040	300	12	20.0 kg	55.0 cm	65.6 cm	24.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height