



Hand protection

VENICUTB04

SLIGHTLY SHARP AND NON INTENSIVE WORK

A2 rated EConocut polyurethane coated gloves



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

· Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
3 X 4 2 B



A2 X X

Risk Protection



Cutting



Wearing



enjoy safety.

Edit 22/07/2026
www.deltaplus-usa.com



Hand protection

VENICUTB04

SLIGHTLY SHARP AND NON INTENSIVE WORK

A2 rated EConocut polyurethane coated gloves

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Econocut
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3

40 pairs /box



Safety gloves

VENICUTB04

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove, ideal for dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTB04GRG306	Grey	06	VENICUTB04	3295249202620	13295249202627	40	4	3.3 kg	53.0 cm	26.8 cm	34.0 cm
VECUTB04GRG307	Grey	07	VENICUTB04	3295249202613	13295249202610	40	4	6.9 kg	36.0 cm	54.0 cm	27.0 cm
VECUTB04GRG308	Grey	08	VENICUTB04	3295249202637	13295249202634	40	4	7.7 kg	36.0 cm	54.0 cm	27.0 cm
VECUTB04GRG309	Grey	09	VENICUTB04	3295249202644	13295249202641	40	4	8.0 kg	36.0 cm	54.0 cm	27.0 cm
VECUTB04GRG310	Grey	10	VENICUTB04	3295249202651	13295249202658	40	4	8.2 kg	36.0 cm	54.0 cm	27.0 cm
VECUTB04GRG311	Grey	11	VENICUTB04	3295249202668	13295249202665	40	4	3.3 kg	36.0 cm	54.0 cm	27.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height