



Zaštita ruku

ALPHA VE905

POVREMENI RAD S KEMIKA LIJAMA



Područje upotrebe

- Teška industrija
- Čišćenje
- Rad na određeno vrijeme
- Prijevoz
- Skladištenje

Certifikati i standardi



EN 388
0100X



EN ISO 374-1
TIP A

Štiti od



Kemijske



ALPHA VE905

POVREMENI RAD S KEMIKAJIJAMA

Zaštita ruku

Pojedinosti - Standardi



EN388:2016+A1:2018

0 [0-4] OTPORNOST NA ABRAZIJU
1 [0-5] OTPORNOST NA POREZOTINE
0 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Nepropusne rukavice
Asortiman	Nepropusne rukavice s podstavom
Nepropusne rukavice	S podstavom
Razina premaza	Potpuni premaz
Debljina (mm)	0,40 mm
Razina zaštite ruke	Duljina: u predjelu podlaktice (< 400 mm)
Dodatna pogodnost	Bez silikona
Boja	Natur
Veličina	6, 7, 8, 9, 10
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama
only used for Brasil	CA 36.293

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
144 parovi /kutija



Safety gloves

ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WPSVE905NA06	Natural	6/7	ALPHA VE905	3295249276294	13295249276291	144	12	7.6 kg	0.26 cm	0.4 cm	0.29 cm
WPSVE905NA07	Natural	7/8	ALPHA VE905	3295249276300	13295249276307	144	12	10.0 kg	0.26 cm	0.4 cm	0.29 cm
WPSVE905NA08	Natural	8/9	ALPHA VE905	3295249276317	13295249276314	144	12	10.7 kg	0.24 cm	0.4 cm	0.3 cm
WPSVE905NA09	Natural	9/10	ALPHA VE905	3295249276324	13295249276321	144	12	11.5 kg	0.25 cm	0.4 cm	0.29 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height