Hand protection

VENICUTA901

INTENSE CUT WORK

Cut-resistant glove with the highest level of cut resistance combined with extreme working finesse thanks to its 18 gauge.



Certifications and norms

CE CATEGORY II

EN 388
4 X 4 2 F

EN 407
X 1 X X X X

ANSI/ISEA 105-2024
A9 6 3

Protects against risks

Heat | Cutting | Slip | Wearing

Specific benefits

Easy to use

· Touch screen, so you can use your tablet or smartphone without removing your gloves

Performance

· Lightweight for optimal dexterity
· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle
· The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Technologies & labels

XTREMcut+ XTREMcut+

Touch screen

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Heavy industry**
- **Maintenance**
- **Automotive**

Hand protection

VENICUTA901

INTENSE CUT WORK

Cut-resistant glove with the highest level of cut resistance combined with extreme working finesse thanks to its 18 gauge.

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997

EN 407
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Glass Fiber, Xtremcut, Tungsten
Coating level	Palm coated
Coating material	Nitrile, Thermoplastic
Coating finition	Grip-textured
Number of layer	Single layer
Gauge	18
Benefits element	Touch screen
Color	Green-Black
Size	8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
2 pairs /box

VENICUTA901

INTENSE CUT WORK

Proteção das mãos

Luva resistente ao corte com o mais alto nível de resistência ao corte combinado com uma extrema finura de trabalho graças ao seu calibre 18.

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
VECUTA901VE08	Verde-Preto	08	VENICUTA901	3295249297664	13295249297661	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm
VECUTA901VE09	Verde-Preto	09	VENICUTA901	3295249297671	13295249297678	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm
VECUTA901VE10	Verde-Preto	10	VENICUTA901	3295249297688	13295249297685	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm
VECUTA901VE11	Verde-Preto	11	VENICUTA901	3295249297695	13295249297692	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm

Caixa completa

Mínimo venda

Largura da caixa

Profundidade da caixa

Altura da caixa