



Hand protection

VE727

WORKS IN OILY ENVIRONMENT

Mechanical glove, with good properties for working and grip in oily conditions



Specific benefits



Hygiene

- Nitrile means no risk of allergies for users



Performance

- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 1 3 1 A

Risk Protection



Wearing



Hand protection

VE727

WORKS IN OILY ENVIRONMENT

Mechanical glove, with good properties for working and grip in oily conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

1 [0-5] CUT RESISTANCE

3 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyamide, Spandex
Coating Level	Palm Coating
Coating Material	Aqua Polymer
Coating Finish	Smooth
Number of Coatings	Single Coated
Dots material	Nitrile Dots
Gauge	15
Benefits element	Vendor pack
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag

120 pairs /box



Safety gloves

VE727

WORKS IN OILY ENVIRONMENT

Mechanical glove, with good properties for working and grip in oily conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE727NO07	Grey-Black	07	VE727	3295249178390	13295249178397	120	12	5.43 kg	42.0 cm	27.0 cm	32.0 cm
VE727NO08	Grey-Black	08	VE727	3295249178406	13295249178403	120	12	6.08 kg	42.0 cm	27.0 cm	32.0 cm
VE727NO09	Grey-Black	09	VE727	3295249178413	13295249178410	120	12	6.74 kg	42.0 cm	27.0 cm	32.0 cm
VE727NO10	Grey-Black	10	VE727	3295249178420	13295249178427	120	12	7.17 kg	27.0 cm	42.0 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height