



Hand protection

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

A6 rated cut-resistant glove ideal for heavy duty work in oily or aqueous environments



Specific benefits



Easy to use

• Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

• Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market
• The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive

Certifications and norms



EN 388
4 X 4 3 F



EN 407
X 1 X X X X



A6 X X

Risk Protection



Cutting



Wearing



Perforation



Hand protection

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

A6 rated cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Xtremcut
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	13
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Gray-Black
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box



Safety gloves

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF01NO06	Grey-Black	06	VENICUT F XTREM CUT - VENICUTF01	3295249235826	13295249235823	60	12	4.8 kg	32.2 cm	72.4 cm	16.2 cm
VECUTF01NO07	Grey-Black	07	VENICUT F XTREM CUT - VENICUTF01	3295249235833	13295249235830	60	12	5.1 kg	32.8 cm	72.2 cm	15.2 cm
VECUTF01NO08	Grey-Black	08	VENICUT F XTREM CUT - VENICUTF01	3295249235840	13295249235847	60	12	5.4 kg	32.8 cm	72.2 cm	16.2 cm
VECUTF01NO09	Grey-Black	09	VENICUT F XTREM CUT - VENICUTF01	3295249235857	13295249235854	60	12	6.0 kg	34.6 cm	72.6 cm	16.2 cm
VECUTF01NO10	Grey-Black	10	VENICUT F XTREM CUT - VENICUTF01	3295249235864	13295249235861	60	12	6.5 kg	32.6 cm	72.2 cm	16.6 cm
VECUTF01NO11	Grey-Black	11	VENICUT F XTREM CUT - VENICUTF01	3295249235871	13295249235878	60	12	6.9 kg	32.6 cm	72.4 cm	15.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height