



Zaštita ruku

VENICUTDX0

DUGOTRAJNI POSLOVI REZANJA

Rukavica za zaštitu od posjekotina razine D, otporna na kontaktnu toplinu do 250°, idealna za intenzivne radove



Prednosti



Performanse

- Vrlo dobra otpornost na abraziju i posjekotine zahvaljujući vlaknima HEATnocut visokih performansi
- Otpornost na kontaktnu toplinu (250 °C tijekom 15 sekundi) zahvaljujući vlaknima HEATnocut visokih performansi

Područje upotrebe

- Javni radovi
- Zgrada
- Rudarska industrija

Certifikati i standardi



EN 388
4 X 4 2 D



EN 407
X 2 X X X X



A4 X X

Štiti od



Rezanje



Habanje



Zaštita ruku

VENICUTDX0

DUGOTRAJNI POSLOVI REZANJA

Rukavica za zaštitu od posjekotina razine D, otporna na kontaktnu toplinu do 250°, idealna za intenzivne radove

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] PONAŠANJE PRI GORENJU
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Pletene rukavice bez obloge s kožnatim dijelom na dlanu
Vrsta mehaničke rukavice	Pletena
Posebna vrsta rukavica	Pleten s dijelom na dlanu od kože
Od tkanine	HEATnocut, Polietilen visoke gustoće
Debljina	10
Dodatna pogodnost	Reach, Može se prikvačiti
Boja	Žuta-Siva
Veličina	9, 10
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
60 parovi /kutija



Safety gloves

VENICUTDX0

LONG-LASTING CUT WORK

Level D cut-resistant glove, contact heat resistant up to 250°, ideal for intensive work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTDX0GJ09	Yellow-Grey	09	VENICUTDX0	3295249157289	13295249157286	60	12	10.2 kg	28.0 cm	35.0 cm	37.0 cm
VECUTDX0GJ10	Yellow-Grey	10	VENICUTDX0	3295249157296	13295249157293	60	12	11.3 kg	28.0 cm	35.0 cm	37.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height