



VENICUT5X1

UZUN SÜRELİ KESİLME DİRENCİ GEREKSİNİMLİ ÇALIŞMA

El Koruma



Uygulamalar

- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Bakım
- Otomotiv
- Maden endüstrisi

Sertifikalar ve standartlar

CE KATEGORİ II



EN 388
4 X 4 3 D



A5 4 3

Karşı korur



Kesme



Aşınma



VENICUT5X1

UZUN SÜRELİ KESİLME DİRENCİ GEREKSİNİMLİ ÇALIŞMA

El Koruma

Detaylar - Standartlar



EN388:2016+A1:2018

4 [0-4] AŞINMA DİRENCİ

X [0-5] KESİLME DİRENCİ

4 [0-4] TEAR RESİSTANCE

3 [0-4] PIERCE RESİSTANCE

D [A-F] CUT RESİSTANCE ISO 13997

Ürün bilgileri

Eldiven tipi	Özel eldiven
Eldiven ailesi	Kaplamalı örme eldiven
Mekanik eldiven tipi	Örme
Özel eldiven türü	Örme deri avuç içi
Elyaf	DELTAnocut+
Kaplama seviyesi	Avuç içi kaplama
Kaplama malzemesi	PU
Kaplama bitişi	Düz
Kaplama sayısı	Tek kaplama
Ölçü	13
Renk	Gri
Boyutlar	9, 10, 11
Paketleme tipi	bireysel çantada

Paketleme

Satış birimi: bireysel çantada

60 çiftler / kutu



Safety gloves

VENICUT5X1

LONG-LASTING CUT WORK

Level D cut-resistant glove with breathable coating and very soft material for intensive and careful use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5X1GR09	Grey	09	VENICUT5X1	0	13295249213203	60	12	8.3 kg	32.4 cm	33.4 cm	48.2 cm
VECUT5X1GR10	Grey	10	VENICUT5X1	0	0	60	12	8.8 kg	34.0 cm	33.2 cm	48.2 cm
VECUT5X1GR11	Grey	11	VENICUT5X1	3295249213237	13295249213234	60	12	9.1 kg	33.0 cm	32.6 cm	49.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height