



VENICUT52

LONG-LASTING CUT WORK

Hand protection



Aplikacije

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Začasno delo

Certifikati in norme



EN 388
3 X 4 2 D



EN 407
X 2 X X X X



A3 X X

Zaščita pred tveganji



Heat



Cutting



Wearing



VENICUT52

LONG-LASTING CUT WORK

Hand protection

Standardi - podrobnosti



EN388:2016+A1:2018

3 [0-4] ODPORNOST PROTI OBRABI
X [0-5] REZNA UPORNOST
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] OBNAŠANJE PRI GORENJU
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnične podrobnosti

Vrsta rokavic	Mehanska rokavica
Družina rokavic	Pletena prevlečena rokavica
Vrsta mehanske rokavice	Pleteno
Preja za votke	HEATnocut, PEHD
Raven premaza	Prevlečena dlan
Premazni material	Lateks
Finalizacija premaza	s teksturiranim oprijemom
Število plasti	Enoslojni
Merilnik	10
Barva	Rumena-Črna
Velikost	7, 8, 9, 10
Vrsta embalaže	v posameznih vrečkah

Pakiranje

Prodajna enota: v posameznih vrečkah
60 pari /box



VENICUT52

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5207	Yellow-Black	07	VENICUT52	0	0	60	12	8.3 kg	28.0 cm	34.8 cm	38.4 cm
VECUT5208	Yellow-Black	08	VENICUT52	0	0	60	12	8.9 kg	28.6 cm	34.8 cm	39.2 cm
VECUT5209	Yellow-Black	09	VENICUT52	0	0	60	12	9.4 kg	29.2 cm	37.4 cm	39.4 cm
VECUT5210	Yellow-Black	10	VENICUT52	0	0	60	12	10.0 kg	28.8 cm	37.2 cm	40.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height