



Hand protection

VENICUT44


SLIGHTLY SHARP AND LONG-LASTING WORK



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



Risk Protection



Cutting



Wearing



VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Econocut
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3

40 pairs /box



VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT44GRG307	Grey-Black	07	VENICUT44	0	0	40	4	8.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG308	Grey-Black	08	VENICUT44	0	13295249191846	40	4	8.2 kg	34.4 cm	58.2 cm	29.4 cm
VECUT44GRG309	Grey-Black	09	VENICUT44	0	0	40	4	10.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG310	Grey-Black	10	VENICUT44	0	0	40	4	9.4 kg	35.0 cm	61.4 cm	30.2 cm
VECUT44GRG311	Grey-Black	11	VENICUT44	0	0	40	4	15.0 kg	60.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height