



Absturzsicherung

TRA32

RETTUNG UND BERGUNG, ARBEITEN IN ENGEN RÄUMEN

Leichter Aluminium-Dreibaum mit einer Höhe von bis zu 3 m und zwei Halterungen für HSG/Winde. Schnelle Montage und geeignet für Arbeiten in beengten Arbeitsbereichen



Anwendung

- Bauwesen
- Wartungs- und Servicearbeiten
- Instandhaltung
- Chemieindustrie
- Öl- & Gasindustrie
- Bergbauindustrie

Zertifikationen und normen



EN 795
TYP B

TS16415
3

Schützt gegen



Absturz



Absturzsicherung

TRA32

RETTUNG UND BERGUNG, ARBEITEN IN ENGEN RÄUMEN

Leichter Aluminium-Dreibaum mit einer Höhe von bis zu 3 m und zwei Halterungen für HSG/Winde. Schnelle Montage und geeignet für Arbeiten in beengten Arbeitsbereichen

Details - Normen

Technische Details

Bestandteile der Ausrüstung	Teleskopisches Stativ
Verankerungsvorrichtung	Stativ
Zusammensetzung des Materials	Aluminium
Länge max. (m)	3,02
Länge min. (m)	1,74
Farbe	Aluminium
Gewicht (kg) (kg)	22,2
Widerstand (Kn)	20
Abstand zum Boden (m)	2,62
Maximale Anzahl von Benutzern	3
Absturzgefährdung	Rettung und Bergung, Vertikale Bewegung auf engen Raum



Fall protection

TRA32

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 3 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA32	Aluminium-coloured	Adjustable	TRA32	3295249194178	13295249194175	1	1	29.35 kg	212.0 cm	24.0 cm	29.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height